

**Republic of the Philippines
CAVITE STATE UNIVERSITY
Don Severino de las Alas Campus**

- 1. The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project with an Approved Budget for the Contract (ABC) of . Quotation received in excess of the ABC shall be automatically rejected at the opening**

1	1	unit	300M Binocular Telescope Waterproof High HD Night Vision Binocular Telescopes HD Day Night Vision 10x Magnification, Smooth Central Focus		

			<p>superior performance in reduced latency, throughput, and scalability.</p> <ul style="list-style-type: none"> • Intelligent QoS Priority is given to voice/video for seamless access. • Scalability High capacity and scalability. • airMAX ac Sector Coverage • The LiteAP ac features a 2x2 MIMO antenna and communicates with multiple airMAX ac CPEs within a 120° coverage area. 		
4	1	unit	<p>Sound System Cable and Jack</p> <p>3pcs - USB 7.1 Sound card with 3.5mm stereo and mic sound card splitter</p> <p>3pcs - Audio Cable 2.5mm to Dual 6.35mm Male mono plug 3 meters</p> <p>3pcs - Audio Cable 3.5mm Dual 6.35mm Male mono plug 5 meters</p> <p>3pcs - 3.5mm male audio jack to RCA male cable, 3 meters</p> <p>3pcs - 3.5mm male audio jack to RCA male cable, 5 meters</p> <p>1pc - 3 pin XLR female Jack to dual 2 male plug Y splitter adapter cable wire, 30cm</p> <p>1pc - 3.5mm stereo jack to XLR 3 pin male Y splitter cable, 3 meters</p> <p>Type C Sound Card Splitter</p> <p>HDMI Video Capture USB 3C</p>	600000	600000
5	20	pc	RAM DDR3, Desktop	1,50000	3000000
6	50	pc	RAM DDR4, Desktop	300000	15000000
7	40	unit	MONITOR, 21", LED	350000	14000000
8	1	unit	<p>Portable AI Devices For Intelligent Classrooms</p> <ul style="list-style-type: none"> • Interactive Camera (touchscreen experience): EyeRIS built-in 3D Dual band Optical • Wireless Touch Support • Embedded OS: Kineua OS <p>Android version</p> <ul style="list-style-type: none"> • Simultaneous Touch Points 10# • Built-in WiFi: IEEE 802.11 a/b/g/n (Dual Band) • Accuracy: +/- 2px • Display Size Support: 32" to 75" • Ambient Light Resistance <p>Technology: 830nm +/- & 650nm +/- 20 dual band tracking technology (visible and IR bands)</p> <ul style="list-style-type: none"> • Tracking Speed & Response time: 120FPS (can be extended up to 200FPS) & 195 million dots/sec • Calibration Technology: Automatic as well as Manual 		

			<ul style="list-style-type: none"> • Cross platform Support (BYOD) • Wireless Collaboration & Document upload (app MacOS, Windows) • Easy Sharing Share notes through QR code • Connectivity IOHDMI, USB 2.0, USB 3.0, MicroSD, OTG MicroUSB, DC In • Integrated Class EQML Engine Features: Auto attendance with face tracking, Counts male and female students, Analyse student emotional state, Analyse noise level etc., 		
9	1	unit	<p>Augmented Projector with Intelligence & Connectivity</p> <ul style="list-style-type: none"> • Interactive Camera: built in 3D Dual band Optical • Wireless Touch Support • Simultaneous Touch Points: 10# • Built in Wi-Fi IEEE 802.11a/b/g/n (Dual Band) • CPU Requirement: No CPU consumption on host PC/Mac • Accuracy: +/- 2px • Display Size Support: Up to 100' for 16:9 aspect ratio (wide angle) & up to 80' for 4:3 aspect ratio • IR Camera View Angle: Vertical: 95.3 degree, Horizontal: 130.6 degree, Diagonal: 169.7 degree • IR Camera T/R Range: Up to 0.16 • Ambient Light Resistance Technology: 830nm +/- 20 & 650nm +/- 20 dual band tracking technology (Visible and IR bands) • Tracking Speed & Response Time: 120FPS (can be extended up to 200FPS) & 195 million dots/sec • Calibration Technology: Automatic as well as Manual Calibration • Power Requirement: 5V • Power Consumption: <1W • Stylus Power Req: Super Capacitive Technology, No Consumables, 3 minutes charging time through USB • Built in Scribble board software (annotation and blackboarding) • Educational Version: Kineua Teach (Windows, macOS) • Enterprise Version: App (Windows, macOS) • Share notes through QR code • Edge-blending System Support More than 8 devices can be connected to 1 USB port in PC for a Edge-blending setup • Connectivity: IOHDMI, USB 2.0, MicroSD, OTG MicroUSB, DC In 	40,000.00	40,000.00

10	120	unit	AVR 500Watts with 3socket 220V &1 socket 110V	551.25	66,150.00
11	10	unit	Flashdrive, 64gb	1,433.25	14,332.50

2 Delivery Period ____ calendar days from the receipt of P.O

- 3 Price quotations must be valid for a period of sixty (60) calendar days from date of submission and shall include all taxes, duties and/or levies payable. Bidders shall also indicate the brand and model of the items being offered**
- 4 Warranty shall be for a period of six (6) months for supplies and materials. Warranty for equipment must not be less than one (1) year from the date of acceptance and shall be accompanied with Warranty Certificate.**
- 5 The quotation must be submitted to the Supply Office through mail, fax or email at the contact details listed below**

**Address : Supply Office, Administration Building
Cavite State University
Indang, Cavite**

E-mail : supplyoffice@cvsueduph

Telefax : (046) 862 0852